



MID-AG TRAILER SPRAYER LINEUP



PASTURE BLASTER®

PASTURE BLASTER® BOOMLESS NOZZLE TRAILER SPRAYER



Known as our Pasture Blaster®. This unit was designed for rangeland noxious weed management.

- 300 gallon low profile tank
- Single axle durable trailer
- Adjustable axles: 65" 85"
- Optional Filling platform with handrail
- Manual plumbing control
- 8 roller pump with 540 coupler
- 2 boomless nozzles with 32 ft. coverage
- Single agitator kit

Part #

• 10" Topwind Tongue Jack



MFG #

5303174 **AG-TR300PB-BXT22PS** *

Description

300 Gal w/rooster Tail & XT024 Boom Extender Nozzles

^{*} Designate Color: -BLU (Blue); -BLK (Black)

ECONOMY PASTURE SPRAYER

300 GALLON PASTURE SPRAYER

- 300 Gallon Elliptical Tank
- Heavy Duty Low Profile Frame
- Pressure, Strainer & Agitation Assemblies
- 11L-15 Implement Tread Tires
- Hypro 8 Roller Pump
- · Adjustable Hitch
- 15" Jack
- Powder Coat Paint

OPTIONS:

- Boomless Nozzles Covers 32 Feet
- Hamilton Boomless Nozzle Covers 36 Feet
- 479 Boom 21 Foot, 28 Foot, 35 Foot
- 2300 Boom 28 Foot, 35 Foot, 42 Foot
- 22" Pro Series Handgun with 25' of 3/8" Rubber Hose, Gun Holder & Hose Wrap
- Manual Boom Control
- Electric Boom Control
- Agitation
- Skid Plate (Bolt On) Protects Valves & Plumbing On Bottom Of Tank



Part #	<u>Description</u>	
AG-TR300E-MBXT22PS *	300 Gallon Trailer Sprayer, Boom Extender, Manual Boom	
AG-TR300E-MHAM22PS *	300 Gallon Trailer Sprayer, Hamilton, Manual Boom	
AG-TR300E-LH22PS * 300 Gal w: Longhorn Extended Range Boomless w/XT024 Nozzles – Approx 40' Swath		
AG-TR300F-8SHOCK22PS *	300 Gal w: 28' SHOCK Absorber Series Boom & 17 Quickiet Nozzles Bodies with Air Inducted Nozzles	

- * Designate Color: -BLU (Blue); -BLK (Black)
- ** These electric controlled units are equipped with a TeeJet single 430 series electric ball valve and wiring harness with toggle switch.



479-8QJ

8 Row, 28' Boom With 17 Nozzles W/QuickJet Diaphragm

479-10QJ

10 Row, 35' Boom With 21 Nozzles W/QuickJet Diaphragm



2308QJ

8 Row (3 Section) 28' Boom Assembly With 17 Nozzle W/QuickJet Diaphragm

2310QJ

10 Row (5 Section) 35' Boom Assembly With 21 Nozzle W/QuickJet Diaphragm

23120

12 Row (5 Section) 42' Boom Assembly With 25 Nozzle W/QuickJet Diaphragm



OKLAHOMA SPECIAL



HAMILTON TIP



HYPRO BOOM EXTENDER TIPS

LOW PROFILE DELUXE PASTURE SPRAYERS

LOW PROFILE DELUXE TRAILER SPRAYERS

- 500 Gallon Elliptical Tank
- Heavy Duty Low Profile Frame
- Pressure, Agitation & Strainer Assemblies
- Strainer Assy On Top Of Frame In Front Of Tank
- Adjustable Hitch Height
- 15" Jack
- 11L-15 Implement Tread Tires
- Hypro 8 Roller Pump

OPTIONS:

- Boomless Nozzles Covers 32 Feet
- Hamilton Boomless Nozzle Covers 36 Feet
- 479 Boom 21 Foot, 28 Foot, 35 Foot
- 2300 Boom 28 Foot, 35 Foot, 42 Foot
- 22" Pro Series Handgun with 25' of 3/8" Rubber Hose, Gun Holder & Hose Wrap
- Manual Boom Control
- Electric Boom Control
- Agitation
- Skid Plate (Bolt On) Protects Valves & Plumbing On Bottom Of Tank
- Fender Kit for 11L -15 Tires
- Torsion Axle
- Bolt On Step





<u>Part #</u>	<u>MFG #</u>	<u>Description</u>
5303209*	AG-TR500E-MHAM22PS *	500 Gallon Trailer Sprayer, Hamilton
5303207*	AG-TR500E-MBXT22PS *	500 Gallon Trailer Sprayer, Boom Extender
5303206*	AG-TR500E-MLH22PS *	500 Gallon Trailer Sprayer, Longhorn Boom

^{*} Designate Color: -BLU (Blue); -BLK (Black)

TRAILER OPTIONS



TORSION AXLE SKID PLATE FENDER KIT FOR 11L-15 TIRES

BOOM OPTIONS







BOLT ON STEP

OKLAHOMA SPECIAL

HAMILTON TIP

HYPRO BOOM EXTENDER TIPS

PX BOOM

1000 GALLON LOW PROFILE TRAILER SPRAYER





- 1000 Gallon Elliptical Tank
 - 3 Year Non-Prorated Warranty
- Tank Available In Black Or Yellow
- Heavy Duty Low Profile Frame
- Heavy Duty Safety Chains
- Bulldog 15" 2000lb Pipe Mount Jack
- 11L x 15 Tires
- Adjustable Clevis Hitch
- 7000lb Torsion Axles
- Powder Coat Paint

OPTIONS:

- Boomless Nozzles Covers 32 Feet
- Hamilton Boomless Nozzle Covers 36 Feet
- Longhorn Combination Boom Covers 42 Feet
- 479 Boom 21 Foot, 28 Foot, 35 Foot
- 2300 Boom 28 Foot, 35 Foot, 42 Foot
- 22" Pro Series Handgun with 30' of 3/8" Rubber Hose, Gun Holder & Hose Wrap
- Manual Boom Control
- Electric Boom Control

- Agitation
- PTO Driven Pump
 - Tractor or Trailer Mounted
- 50' Hose Reel
- Skid Plate (Bolt On) Protects
 Valves & Plumbing On Bottom
 Of Tank

BOOMS & PUMPS



BXT SERIES BOOMS



Description

Boomless 34' Coverage, 3.8 GPM At 40 PSI (3 Section) NEW

Boomless 38' Coverage, 5.8 GPM At 40 PSI (3 Section) NEW



LONGHORN **BOOM**

Model # LONGHORNBOOM-KIT

Description

Longhorn Extended Range Boomless Boom w/XT024 Tips



BOOM BUSTER BOOMLESS NOZZLE KIT

Model # **BOOMBUSTER-KIT**

Description

Boomless Nozzle Bracket w/XT024 Tips



Cast Iron Roller Pump

Most Basic Model Pump. Not for use with Roundup. Works with Pasture Guard.



Ni Resist **Roller Pump**

Works with Pasture Guard. Will work with Roundup - But not recommended.



XL Series Roller Pump

Best choice for use with Roundup

HYPRO

1500 Series		1700 :	Series	6500	Series	7560 S	eries
Max GPM	62.1	Max GPM	45	Max GPM	21.8	Max GPM	22.5
Max Press	150	Max Press	200	Max Press	300	Max Press	300
Max RPM	1000	Max RPM	1000	Max RPM	1200	Max RPM	1000

FMC-150-HYD-204, 206

204 Ace Pump

- 4 GPM Hyd Flow
- Max GPM 95
- 1-1/4" Inlet
- 1" Outlet
- Standard Viton Ceramic Seal
- 1 Set Hyd Hose w/Tips

206 Ace Pump

- 7 to 16 GPM
- PC Closed & Open Center Systems
 Open Center System works with Pressure Compensating Closed Center
 - Load Sensing or Pressure Flow
 - Max 125 GPM
 - 1-1/2" Flange or Thread Inlet
 - 1-1/4" Flange or Thread Outlet
 - Standard Viton Ceramic Seal
 - 1 Set Hyd Hoses w/Tips








MX SERIES BOOMS

Model #	Code #	<u>Description</u>
MX408	5303666	8 Nozzle MX Boom, 160" Coverage - (1 or 3 Section)
MX410	5303667	10 Nozzle MX Boom, 200" Coverage - (1 or 3 Section)
MX412	5303668	12 Nozzle MX Boom, 240" Coverage - (1 or 3 Section)



SERIES 479 BOOMS

Model #	Code #	<u>Description</u>
479-6QJ	5301356	6 Row, 21' Boom With 13 Nozzles W/QuickJet Diaphragm
479-8QJ	5301357	8 Row, 28' Boom With 17 Nozzles W/QuickJet Diaphragm
479-10QJ	5301358	10 Row, 35' Boom With 21 Nozzles W/QuickJet Diaphragm



SERIES 2300 BOOMS

Model #	Code #	<u>Description</u>
2308QJ	5300696	8 Row, 28' (3 Section) Boom Assembly With 17 Nozzle W/QuickJet Diaphragm
2310QJ	5300697	10 Row, 35' (5 Section) Boom Assembly With 21 Nozzle W/QuickJet Diaphragm
231201	5300698	12 Row. 42' (5 Section) Boom Assembly With 25 Nozzle W/Quicklet Diaphragm




SERIES 2468 BOOMS

Model #	Code #	<u>Description</u>
2468-12QJ	5300699	42' Heavy Duty 12 Row Boom - (5 Sections) (Folds Behind Sprayer - $3/4''$ Nozzle Harness Included W/QuickJet Diaphragm Nozzles)
2468-14QJ	5300700	48' Heavy Duty 14 Row Boom - (5 Sections) (Folds Behind Sprayer - 3/4" Nozzle Harness Included W/



OKLAHOMA SPECIAL BOOM



Model #
OKLAHOMA SPECIAL-KIT

Description

Boom Buster Kit w/ XT024 Tips add on for Booms





agspray.com

BAKERSFIELD, CA 4618 SACO RD, 93308 661.391.9081

Toll Free: 877.724.2236 F: 661.391.9085 BAKERSFIELD@AGSPRAY.COM **COLUMBUS, NE** 5834 E 23RD ST, 68601

402.564.4544Toll Free: 800.274.1025

Toll Free: 800.274.1025 F: 402.564.0549 COLUMBUS@AGSPRAY.COM **DOTHAN, AL** 2401 FORRESTER RD, 36301

334.673.0580 Toll Free: 800.227.4098

F: 334.673.1974 DOTHAN@AGSPRAY.COM **FARGO, ND** 4350 48TH AVE N, 58102

701.280.2862 Toll Free: 800.373.4084

F: 701.293.0961 FARGO@AGSPRAY.COM

HOPKINSVILLE, KY 3303 PEMBROKE RD, 42240 **270.886.0296**

Toll Free: 800.637.7172 F: 270.885.7392 HOPKINSVILLE@AGSPRAY.COM MANKATO. MN 907 SOUTHBEND AVE. 56001

507.388.6295

Toll Free: 800.722.9376

F: 507.388.4668 MANKATO@AGSPRAY.COM NEWTON, KS 7000 SCHABEN CT, 67114

316.283.4444

Toll Free: 800.394.7662 F: 316.283.4646 NEWTON@AGSPRAY.COM PASCO, WA
3035 TRAVEL PLAZA WAY. 99301

509.488.6631

Toll Free: 800.634.2026 F: 509.488.2927 PASCO@AGSPRAY.COM TEMPE, AZ 8464 S KYRENE RD, 85284 480.705.8047

Toll Free: 877.874.7166 F: 480.705.8048 TEMPE@AGSPRAY.COM

LIMITED WARRANTY

All warranties are subject to the warranty of the original manufacturer. Warranty claims will be processed by Ag Spray Equipment after the items are returned freight prepaid to the Ag Spray Equipment location where the product was purchased. Examination and determination of warranty, if applicable, will be subject to and limited by the warranty of the original manufacturer. Ag Spray Equipment assumes no liability for any unwarranted equipment. All items must be returned within 30 days of failure.

WARRANTIES		
TANKS	3 YEARS	
AG SPRAY FRAMES	1 YEAR	
ALL OTHER EQUIPMENT	MANUFACTURER WARRANTY	

Warranty Labor rate is \$80.00 per hour. All Warranty claims will be subject to a review by Ag Spray Equipment for an appropriate allotment of time to make needed repairs.